EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	98	(SUNDARAM near RAVI) (MILLIKEN near WALTER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:18
L2	9	L1 and unauthorized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:18
L3	3140	709/245.∝ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L4	13	L3 and @ad<"20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L5	2427	726/22.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L6	13	L5 and @ad< "20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L7	850	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L8	4	L7 and @ad<"20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19

L9	466	713/162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L10	1	L9 and @ad< "20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L11	985	(generat\$4 creat\$4 choos \$4) with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L12	184	L11 same (hash\$4 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L13	0	L12 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L14	1797	(generat\$4 creat\$4 choos \$4) with return near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L15	107	L14 same IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L16	0	L15 and @ad< "20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L17	933	(IP network) adj address adj pool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L18	244	L17 same return\$4 near address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/11/29 13:19

L19	1	L18 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L20	15	(IP network) adj address adj pool same directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L21	0	20 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L22	21	apply\$4 near2 function same return\$4 near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L23	0	L22 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:19
L24	2849	(function hash\$4) with return\$4 near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L25	295	L24 same (IP MAC network) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L26	2	1.25 and @ad< "20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L27	124	(function hash\$4) with return\$4 near3 address same (block pool) near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L28	1	127 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20

L29	236	user near2 address with server same (block group pool) near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L30	1	L29 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L31	25	server near farm same return\$4 near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L32	0	L31 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L33	18	load adj balanc\$4 same server adj farm same random\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L34	0	L33 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L35	260	load adj balanc\$4 same hash\$4 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L36	4	L35 and @ad<"20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L37	48	virtual adj ip adj address same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L38	1	L37 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20

L39	91	hash\$4 with destination same return\$4 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L40	O	L39 and @ad<"20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L41	450	hash\$4 with destination and return\$4 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L42	0	L41 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L43	89	server adj farm and hash \$4 with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L44	O	L43 and @ad<"20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L45	134	hash\$4 with destination same return\$4 and IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L46	0	L45 and @ad<"20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L47	177	duster\$4 with server and hash\$4 with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L48	0	L47 and @ad<"20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/11/29 13:20

L49	108	(obtain\$4 creat\$4 generat \$4) with return near2 address near2 IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L50	0	L49 and @ad< "20030416" and @pd> "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L51	20	user adj specific with (group block) near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L52	0	L51 and @ad<"20030416" and @pd>"20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L53	4676	user with (group block) near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L54	651	L53 same ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L55	59	L54 same (return\$4 substitut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20
L56	0	L55 and @ad = "20030416" and @pd > "20100802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 13:20

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L57	0	(substitute adj return adj address).clm.	USPAT; UPAD	OR	ON	2010/11/29 13:23
L58	0	(block with function with user adj address). clm.	USPAT; UPAD	OR	ON	2010/11/29 13:24

L59	9	(monitor\$4 with address with unused). clm.	USPAT; UPAD	OR	ON	2010/11/29 13:24
L60	33	(request\$4 with address with substitute).clm.	USPAT; UPAD	OR	ON	2010/11/29 13:27
L61	3	(request\$4 with address with substitute with return \$4).clm.	USPAT; UPAD	OR	ON	2010/11/29 13:27

11/29/10 1:28:55 PM

C:\ Documents and Settings\ mpyzocha1\ My Documents\ EAST\ Workspaces\ 10826897-7.wsp